ELSEVIER

Journal of Organometallic Chemistry 538 (1997) 263

Journal of Organometallic Chemistry

Author Index of Volume 538

Abdul Malik, K.M., 171
Artus, G.R.J., 203
Aubert, P., 211

Bailey, N.J., 111
Bell, P.T., 75
Blacque, O., 83
Bourdon, C., 83
Broussier, R., 83
Brunet, J.-J., 251
Buys, I.E., 101, 119

Calhorda, M.J., 223
Campello, M.P.C., 223
Cavanaugh, M.D.B., 41
Correia, J.D.G., 203
Cutler, A.R., 41

Daran, J.-C., 251
Dasgupta, B., 75
Deemie, R.W., 257
Domingos, Â., 223
Donaldson, W.A., 75

Elgafi, S., 119
Enders, M., 163

Fettinger, J.C., 257
Field, L.D., 101, 119
Frosch, W., 163
Fry, B.E., 151

Galvão, A., 223
Garje, S.S., 129
Gautheron, B., 83
Geisberger, M.R., 203
George, A.V., 101
Ghose, S., 185
Ghosh, S., 57
Grée, R., 91
Green, M.L.H., 111
Guo, A., 151
Gyepes, R., 63

Hambley, T.W., 101, 119
Harrison, P.G., 19
Hasegawa, M., 247
Hassler, K., 135, 145

He, Y.-X., 49
Herrmann, W.A., 203
Hibbs, D.E., 171
Hiller, J., 63
Hockless, D.C.R., 101
Hossain, Md.M., 57, 185
Hursthouse, M.B., 171

Jain, V.K., 129
Jia, G., 31

Kim, D.-H., 189
Kim, Y.-J., 189
Kitagawa, S., 199
Knight, D.A., 257
Köhler, K., 163
Köll, W., 135, 145
Kondo, M., 199
Kubicki, M.M., 83
Kühn, F.E., 203

Laabassi, M., 91
Lang, H., 163
Leal, J.P., 223
Lee, J.-Y., 189
Lee, S.-W., 189
Leech, M.A., 111

Mach, K., 63
Malouf, E.Y., 101
Manning, A.R., 9
Masi, C.J., 41
Mathur, P., 57, 185
Mattner, M.R., 203
McArdle, P., 9
McQueen, A.E.D., 101
Messerle, B.A., 119
Mosset, P., 91

Neckers, D.C., 151
Neibecker, D., 251

Orrell, K.G., 171
Osborne, A.G., 171

Pike, S.R., 101
Pires de Matos, A., 223
Polášek, M., 63

Pornet, J., 211
Pritzkow, H., 163
Purches, G.R., 101

Rheingold, A.L., 57
Rosenberg, L., 251

Santos, I., 223
Sato, M., 1
Satyanarayana, C.V.V., 57
Saunders, J.F., 111
Sedmera, P., 63
Sensui, M.-a., 1
Shen, Q., 241
Šik, V., 171
Skelton, B.W., 101
Skelton, J., 9
Sun, J., 241
Sutton, D., 49

Takahata, H., 247
Tanase, T., 247
Tetrick, S.M., 41
Thewalt, U., 63
Tidswell, H.M., 111
Tiekink, E.R.T., 129
Torr, A., 19

Ukaji, H., 247

Vahrenkamp, H., 185
Vallat, A., 83
Varga, V., 63
Vassilev, N.G., 171

Webba da Silva, M., 171
White, A.H., 101
Wu, W.F., 31

Xia, H., 31

Yabuki, M., 199
Yamagishi, T., 199
Yamaguchi, M., 199
Yamamoto, Y., 247
Yap, G.P.A., 57
Yeung, R.C.Y., 31
Yuan, F., 241

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 538 (1997) 265–269

Journal of Organometallic Chemistry

Subject Index of Volume 538

Acetylenes
Reactions of $RuHCl(CO)(PPh_3)_3$ with 1-alkynols. Preparation and reactivity of hydroxyvinyl complexes (G. Jia, W.F. Wu, R.C.Y. Yeung and H. Xia), 31
A-frame clusters
A-frame trinuclear complexes of platinum and palladium with a tridentate phosphine ligand. Insertion of d^{10} Pt(0) and Pd(0) fragments into a Pt–Pt σ-bond (T. Tanase, H. Takahata, H. Ukaji, M. Hasegawa and Y. Yamamoto), 247
Alkenols
Directed semi-hydrogenation of triple bonds in diene tricarbonyliron complexes (M. Laabassi, P. Mosset and R. Grée), 91
Alkyne
Synthesis and spectroscopic characterisation of *closo*-$Ru_4(CO)_{12}$-(μ_4,η^2-HC_2Ph) and *closo*-$Ru_4(CO)_9(\mu$-$CO)_2(\mu_4$,η^2-$HC_2Ph)(\mu_4$-Se). Crystal structure of *closo*-$Ru_4(CO)_{12}(\mu_4$,η^2-$HC_2Ph)$ (P. Mathur, S. Ghosh, Md.M. Hossain, C.V.V. Satyanarayana, A.L. Rheingold and G.P.A. Yap), 57
Alkynes
Synthese und Koordinationsverhalten $Me_2NCH_2CH_2$-funktionalisierter Metallocene von Titan, Vanadium und Chrom (M. Enders, K. Köhler, W. Frosch, H. Pritzkow und H. Lang), 163
Allyl
Synthesis of the rhenium allyl chloride complex $Cp^*Re(\eta^3$-$C_3H_5)$-(CO)Cl and reactions to give hydrido, phenyl and alkyl derivatives (Y.-X. He and D. Sutton), 49
Allyl complex
Molecular structure of π-allyl palladium(II) complex, [Pd(η^3-PhCHCHCHPh)-((*S,S*)-chiraphos)]PF_6: a novel envelope conformation of chiral C_2-symmetric diphosphine (M. Yamaguchi, M. Yabuki, T. Yamagishi, M. Kondo and S. Kitagawa), 199
Ansa
Ansa-bis(cyclopentadienyl) complexes of niobium(III) and niobium(IV); X-ray structures of [Nb(η-C_5H_4-CMe_2-η-C_5H_4)-(η^2-BH_4)] and [Nb(η-C_5H_4-CMe_2-η-C_5H_4)(H)PMe_3] (N.J. Bailey, M.L.H. Green, M.A. Leech, J.F. Saunders and H.M. Tidswell), 111
Ansa-permethyltitanocene
Synthesis, crystal structures and some properties of dimethylsilylene-bridged ansa-permethyltitanocene [Ti(IV), (III) and (II)] complexes (V. Varga, J. Hiller, R. Gyepes, M. Polášek, P. Sedmera, U. Thewalt and K. Mach), 63
Arsenic(III)
Synthesis and characterisation of organoarsenic(III) xanthates and dithiocarbamates. X-ray crystal structures of $RAs(S_2CNEt_2)_2$, R = Me and Ph (S.S. Garje, V.K. Jain and E.R.T. Tiekink), 129
Aryltetrasilanes
Synthese und Eigenschaften chlorierter und bromierter Aryltrisilane und Aryltetrasilane (K. Hassler und W. Köll), 135
Aryltrisilanes
Aryltrisilane $Si_3Ar_nH_{8-n}$ (Ar = Ph, p-Tol; n = 2–7) (K. Hassler and W. Köll), 145
Synthese und Eigenschaften chlorierter und bromierter Aryltrisilane und Aryltetrasilane (K. Hassler und W. Köll), 135
Asymmetric allylic alkylation
Molecular structure of π-allyl palladium(II) complex, [Pd(η^3-PhCHCHCHPh)-((*S,S*)-chiraphos)]PF_6: a novel envelope conformation of chiral C_2-symmetric diphosphine (M. Yamaguchi, M. Yabuki, T. Yamagishi, M. Kondo and S. Kitagawa), 199
Azide
Synthesis and structural characterisation of a new μ_2-Te bridged complex of molybdenum with oxo and imido ligands (P. Mathur, S. Ghose, Md.M. Hossain and H. Vahrenkamp), 185
Azido complexes
Preparation and reactions of methylpalladium(II) and -platinum(II) azido complexes. The crystal structure of *trans*-$PdMe(N_3)(PMe_3)_2$ and *trans*-$PdMe[CN_4(C_6H_{11})](PMe_3)_2$ (Y.-J. Kim, D.-H. Kim, J.-Y. Lee and S.-W. Lee), 189
Berry
Structure and stereodynamic relationships in (η^4-diene)ML_3 systems (P. McArdle, J. Skelton and A.R. Manning), 9
Bis-imine ligand
Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 2. Dynamic NMR studies of *fac*-[$ReX(CO)_3$(BIP)] (X = Cl, Br, or I). Crystal structure of *fac*-[$ReBr(CO)_3$(BIP)] (K.G. Orrell, A.G. Osborne, V. Šik, M. Webba da Silva, M.B. Hursthouse, D.E. Hibbs, K.M. Abdul Malik and N.G. Vassilev), 171
3,5-Bis(vinylidene)-oxanes
Les bis-silanes bis-propargyliques comme précurseurs de bis(vinylidène)oxanes et oxépanes (P. Aubert et J. Pornet), 211
3,6-Bis(vinylidene)oxepanes
Les bis-silanes bis-propargyliques comme précurseurs de bis(vinylidène)oxanes et oxépanes (P. Aubert et J. Pornet), 211
Carbon dioxide
Preparation and characterization of the rhenium silyl esters (η^5-C_5Me_5)-(CO)(NO)ReC(O)OSiR_3 (SiR_3 = $SiMe_2Ph$, $SiEt_3$) (M.D.B. Cavanaugh, S.M. Tetrick, C.J. Masi and A.R. Cutler), 41
Carbonyl
Synthesis and spectroscopic characterisation of *closo*-$Ru_4(CO)_{12}$-(μ_4,η^2-HC_2Ph) and *closo*-$Ru_4(CO)_9(\mu$-$CO)_2(\mu_4$,η^2-$HC_2Ph)(\mu_4$-Se). Crystal structure of *closo*-$Ru_4(CO)_{12}(\mu_4$,η^2-$HC_2Ph)$ (P. Mathur, S. Ghosh, Md.M. Hossain, C.V.V. Satyanarayana, A.L. Rheingold and G.P.A. Yap), 57
Catalysis
Multiple bonds between transition metals and main-group elements, 163. Nitrogen-donor adducts of organorhenium(VII) oxides: structural and catalytic aspects (W.A. Herrmann, F.E. Kühn, M.R. Mattner, G.R.J. Artus, M.R. Geisberger and J.D.G. Correia), 203
Cation
Synthesis and molecular structure of [(t-$C_4H_9C_5H_4)_2Yb(THF)_2$]-[BPh_4] · THF and its catalytic activity for the polymerization of styrene (F. Yuan, Q. Shen and J. Sun), 241

Elsevier Science S.A.

Charge-transfer complex
Synthesis and some properties of bis- and tetrakis(triphenylstannyl)tetrathiafulvalenes and tetraiodotetrathiafulvalene (M. Sato and M.-a. Sensui), 1
Chiral diphosphine
Molecular structure of π-allyl palladium(II) complex, [Pd(η^3-PhCHCHCHPh)-((*S,S*)-chiraphos)]PF_6: a novel envelope conformation of chiral C_2-symmetric diphosphine (M. Yamaguchi, M. Yabuki, T. Yamagishi, M. Kondo and S. Kitagawa), 199
Chiraphos
Molecular structure of π-allyl palladium(II) complex, [Pd(η^3-PhCHCHCHPh)-((*S,S*)-chiraphos)]PF_6: a novel envelope conformation of chiral C_2-symmetric diphosphine (M. Yamaguchi, M. Yabuki, T. Yamagishi, M. Kondo and S. Kitagawa), 199
Chloride
Synthesis of the rhenium allyl chloride complex $Cp^*Re(\eta^3$-$C_3H_5)(CO)Cl$ and reactions to give hydrido, phenyl and alkyl derivatives (Y.-X. He and D. Sutton), 49
Chromium
Synthesis and characterization of an organometallic phosphonic acid: X-ray crystal structure of $[\eta^6$-*p*-$C_6H_4(CH_2PO_3H_2)_2]Cr(CO)_3$ (R.W. Deemie, J.C. Fettinger and D.A. Knight), 257
Chromium(II)
Synthese und Koordinationsverhalten $Me_2NCH_2CH_2$-funktionalisierter Metallocene von Titan, Vanadium und Chrom (M. Enders, K. Köhler, W. Frosch, H. Pritzkow und H. Lang), 163
Cluster
Synthesis and spectroscopic characterisation of *closo*-$Ru_4(CO)_{12}$-(μ_4,η^2-HC_2Ph) and *closo*-$Ru_4(CO)_9(\mu$-$CO)_2(\mu_4,\eta^2$-$HC_2Ph)(\mu_4$-Se). Crystal structure of *closo*-$Ru_4(CO)_{12}(\mu_4,\eta^2$-$HC_2Ph)$ (P. Mathur, S. Ghosh, Md.M. Hossain, C.V.V. Satyanarayana, A.L. Rheingold and G.P.A. Yap), 57
Copper(I)
Synthese und Koordinationsverhalten $Me_2NCH_2CH_2$-funktionalisierter Metallocene von Titan, Vanadium und Chrom (M. Enders, K. Köhler, W. Frosch, H. Pritzkow und H. Lang), 163
Crystal structure
Molecular structure of π-allyl palladium(II) complex, [Pd(η^3-PhCHCHCHPh)-((*S,S*)-chiraphos)]PF_6: a novel envelope conformation of chiral C_2-symmetric diphosphine (M. Yamaguchi, M. Yabuki, T. Yamagishi, M. Kondo and S. Kitagawa), 199
Preparation and reactions of methylpalladium(II) and -platinum(II) azido complexes. The crystal structure of *trans*-$PdMe(N_3)(PMe_3)_2$ and *trans*-$PdMe[CN_4(C_6H_{11})](PMe_3)_2$ (Y.-J. Kim, D.-H. Kim, J.-Y. Lee and S.-W. Lee), 189
Synthesis and characterisation of organoarsenic(III) xanthates and dithiocarbamates. X-ray crystal structures of $RAs(S_2CNEt_2)_2$, R = Me and Ph (S.S. Garje, V.K. Jain and E.R.T. Tiekink), 129
Synthesis and molecular structure of $[(t\text{-}C_4H_9C_5H_4)_2Yb(THF)_2]$-$[BPh_4]\cdot THF$ and its catalytic activity for the polymerization of styrene (F. Yuan, Q. Shen and J. Sun), 241
Crystal structures
Synthesis, crystal structures and some properties of dimethylsilylene-bridged ansa-permethyltitanocene [Ti(IV), (III) and (II)] complexes (V. Varga, J. Hiller, R. Gyepes, M. Polášek, P. Sedmera, U. Thewalt and K. Mach), 63
Cyclopentadienyl
Ansa-bis(cyclopentadienyl) complexes of niobium(III) and niobium(IV); X-ray structures of $[Nb(\eta$-C_5H_4-CMe_2-η-$C_5H_4)(\eta^2$-$BH_4)]$ and $[Nb(\eta$-C_5H_4-CMe_2-η-$C_5H_4)(H)PMe_3]$ (N.J. Bailey, M.L.H. Green, M.A. Leech, J.F. Saunders and H.M. Tidswell), 111
Propylthiotetramethylcyclopentadienyl complexes of iron, titanium and zirconium. Structural characterization of $[\eta^5$-$C_5Me_4SCH_2$-$CH_2CH_3]_2TiCl_2$ (R. Broussier, C. Bourdon, O. Blacque, A. Vallat, M.M. Kubicki and B. Gautheron), 83
Synthesis and molecular structure of $[(t\text{-}C_4H_9C_5H_4)_2Yb$-$(THF)_2][BPh_4]\cdot THF$ and its catalytic activity for the polymerization of styrene (F. Yuan, Q. Shen and J. Sun), 241
Synthesis of the rhenium allyl chloride complex $Cp^*Re(\eta^3$-$C_3H_5)(CO)Cl$ and reactions to give hydrido, phenyl and alkyl derivatives (Y.-X. He and D. Sutton), 49
Cyclopentadienyls
Preparation and characterization of the rhenium silyl esters $(\eta^5$-$C_5Me_5)(CO)(NO)ReC(O)OSiR_3$ (SiR_3 = $SiMe_2Ph$, $SiEt_3$) (M.D.B. Cavanaugh, S.M. Tetrick, C.J. Masi and A.R. Cutler), 41
Diastereoselective synthesis
Remote diastereoselective control via organoiron methodology: stereoselective preparation of 4,6-, 5,7- and 6,8-dien-2-ol (tricarbonyl)iron complexes (P.T. Bell, B. Dasgupta and W.A. Donaldson), 75
Diene
Structure and stereodynamic relationships in (η^4-diene)ML_3 systems (P. McArdle, J. Skelton and A.R. Manning), 9
Diene complexes
Remote diastereoselective control via organoiron methodology: stereoselective preparation of 4,6-, 5,7- and 6,8-dien-2-ol (tricarbonyl)iron complexes (P.T. Bell, B. Dasgupta and W.A. Donaldson), 75
Diene tricarbonyliron complexes
Directed semi-hydrogenation of triple bonds in diene tricarbonyliron complexes (M. Laabassi, P. Mosset and R. Grée), 91
Dimerization
Synthesis, crystal structures and some properties of dimethylsilylene-bridged ansa-permethyltitanocene [Ti(IV), (III) and (II)] complexes (V. Varga, J. Hiller, R. Gyepes, M. Polášek, P. Sedmera, U. Thewalt and K. Mach), 63
Dimethylsilylene-bridged
Synthesis, crystal structures and some properties of dimethylsilylene-bridged ansa-permethyltitanocene [Ti(IV), (III) and (II)] complexes (V. Varga, J. Hiller, R. Gyepes, M. Polášek, P. Sedmera, U. Thewalt and K. Mach), 63
Dinuclear
Synthesis and structural characterisation of a new μ_2-Te bridged complex of molybdenum with oxo and imido ligands (P. Mathur, S. Ghose, Md.M. Hossain and H. Vahrenkamp), 185
Dinuclear amido-bridged complexes
A rhodium(I) amide dimer: synthesis, structural characterisation and preliminary reactivity studies (J.-J. Brunet, J.-C. Daran, D. Neibecker and L. Rosenberg), 251
Dithiocarbamate
Synthesis and characterisation of organoarsenic(III) xanthates and dithiocarbamates. X-ray crystal structures of $RAs(S_2CNEt_2)_2$, R = Me and Ph (S.S. Garje, V.K. Jain and E.R.T. Tiekink), 129
Dpmp
A-frame trinuclear complexes of platinum and palladium with a tridentate phosphine ligand. Insertion of d^{10} Pt(0) and Pd(0) fragments into a Pt–Pt σ-bond (T. Tanase, H. Takahata, H. Ukaji, M. Hasegawa and Y. Yamamoto), 247
Electrophilic substitution
Les bis-silanes bis-propargyliques comme précurseurs de bis(vinylidène)oxanes et oxépanes (P. Aubert et J. Pornet), 211
2D-EXSY NMR
Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 2. Dynamic NMR studies of *fac*-$[ReX(CO)_3(BIP)]$ (X = Cl, Br, or I). Crystal structure of *fac*-$[ReBr(CO)_3(BIP)]$ (K.G. Orrell, A.G. Osborne, V. Šik, M. Webba da Silva, M.B. Hursthouse, D.E. Hibbs, K.M. Abdul Malik and N.G. Vassilev), 171
Ferrocene
Propylthiotetramethylcyclopentadienyl complexes of iron, titanium and zirconium. Structural characterization of $[\eta^5$-C_5Me_4-

$SCH_2CH_2CH_3]_2TiCl_2$ (R. Broussier, C. Bourdon, O. Blacque, A. Vallat, M.M. Kubicki and B. Gautheron), 83

Fluxionality

Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 2. Dynamic NMR studies of *fac*-$[ReX(CO)_3(BIP)]$ (X = Cl, Br, or I). Crystal structure of *fac*-$[ReBr(CO)_3(BIP)]$ (K.G. Orrell, A.G. Osborne, V. Šik, M. Webba da Silva, M.B. Hursthouse, D.E. Hibbs, K.M. Abdul Malik and N.G. Vassilev), 171

Gas phase thermolysis

FT-IR study of the gas phase thermolysis of trimethylsilyl acetate (P.G. Harrison and A. Torr), 19

Group 5

Ansa-bis(cyclopentadienyl) complexes of niobium(III) and niobium(IV); X-ray structures of $[Nb(\eta\text{-}C_5H_4\text{-}CMe_2\text{-}\eta\text{-}C_5H_4)(\eta^2\text{-}BH_4)]$ and $[Nb(\eta\text{-}C_5H_4\text{-}CMe_2\text{-}\eta\text{-}C_5H_4)(H)PMe_3]$ (N.J. Bailey, M.L.H. Green, M.A. Leech, J.F. Saunders and H.M. Tidswell), 111

Hydride

Synthesis of the rhenium allyl chloride complex $Cp^*Re(\eta^3\text{-}C_3H_5)(CO)Cl$ and reactions to give hydrido, phenyl and alkyl derivatives (Y.-X. He and D. Sutton), 49

Hydrocarbyl

Hydrocarbyl derivatives of $[UCl_2\{HB(pz)_3\}_2]$: synthesis, characterization and reactivity studies towards protic substrates and ketones (M.P.C. Campello, M.J. Calhorda, Â. Domingos, A. Galvão, J.P. Leal, A. Pires de Matos and I. Santos), 223

Imidazole

Trisimidazole complexes of ruthenium and osmium (S. Elgafi, L.D. Field, B.A. Messerle, I.E. Buys and T.W. Hambley), 119

Imido

Synthesis and structural characterisation of a new μ_2-Te bridged complex of molybdenum with oxo and imido ligands (P. Mathur, S. Ghose, Md.M. Hossain and H. Vahrenkamp), 185

Insertion reaction

Reactions of $RuHCl(CO)(PPh_3)_3$ with 1-alkynols. Preparation and reactivity of hydroxyvinyl complexes (G. Jia, W.F. Wu, R.C.Y. Yeung and H. Xia), 31

Iron

Remote diastereoselective control via organoiron methodology: stereoselective preparation of 4,6-, 5,7- and 6,8-dien-2-ol (tricarbonyl)iron complexes (P.T. Bell, B. Dasgupta and W.A. Donaldson), 75

L-hexyne

Synthesis, crystal structures and some properties of dimethylsilylene-bridged ansa-permethyltitanocene [Ti(IV), (III) and (II)] complexes (V. Varga, J. Hiller, R. Gyepes, M. Polášek, P. Sedmera, U. Thewalt and K. Mach), 63

Lithium anilide

A rhodium(I) amide dimer: synthesis, structural characterisation and preliminary reactivity studies (J.-J. Brunet, J.-C. Daran, D. Neibecker and L. Rosenberg), 251

Metallocarboxylic acid

Preparation and characterization of the rhenium silyl esters $(\eta^5\text{-}C_5Me_5)(CO)(NO)ReC(O)OSiR_3$ ($SiR_3 = SiMe_2Ph$, $SiEt_3$) (M.D.B. Cavanaugh, S.M. Tetrick, C.J. Masi and A.R. Cutler), 41

Methane

FT-IR study of the gas phase thermolysis of trimethylsilyl acetate (P.G. Harrison and A. Torr), 19

Methyltrioxorhenium

Multiple bonds between transition metals and main-group elements, 163. Nitrogen-donor adducts of organorhenium(VII) oxides: structural and catalytic aspects (W.A. Herrmann, F.E. Kühn, M.R. Mattner, G.R.J. Artus, M.R. Geisberger and J.D.G. Correia), 203

Molecular orbital calculations

Hydrocarbyl derivatives of $[UCl_2\{HB(pz)_3\}_2]$: synthesis, characterization and reactivity studies towards protic substrates and ketones (M.P.C. Campello, M.J. Calhorda, Â. Domingos, A. Galvão, J.P. Leal, A. Pires de Matos and I. Santos), 223

Molybdenum

Synthesis and structural characterisation of a new μ_2-Te bridged complex of molybdenum with oxo and imido ligands (P. Mathur, S. Ghose, Md.M. Hossain and H. Vahrenkamp), 185

N-base adducts

Multiple bonds between transition metals and main-group elements, 163. Nitrogen-donor adducts of organorhenium(VII) oxides: structural and catalytic aspects (W.A. Herrmann, F.E. Kühn, M.R. Mattner, G.R.J. Artus, M.R. Geisberger and J.D.G. Correia), 203

N-functionalized cyclopentadienyl

Synthese und Koordinationsverhalten $Me_2NCH_2CH_2$-funktionalisierter Metallocene von Titan, Vanadium und Chrom (M. Enders, K. Köhler, W. Frosch, H. Pritzkow und H. Lang), 163

Niobium

Ansa-bis(cyclopentadienyl) complexes of niobium(III) and niobium(IV); X-ray structures of $[Nb(\eta\text{-}C_5H_4\text{-}CMe_2\text{-}\eta\text{-}C_5H_4)(\eta^2\text{-}BH_4)]$ and $[Nb(\eta\text{-}C_5H_4\text{-}CMe_2\text{-}\eta\text{-}C_5H_4)(H)PMe_3]$ (N.J. Bailey, M.L.H. Green, M.A. Leech, J.F. Saunders and H.M. Tidswell), 111

NOESY

Trisimidazole complexes of ruthenium and osmium (S. Elgafi, L.D. Field, B.A. Messerle, I.E. Buys and T.W. Hambley), 119

Olefin epoxidation

Multiple bonds between transition metals and main-group elements, 163. Nitrogen-donor adducts of organorhenium(VII) oxides: structural and catalytic aspects (W.A. Herrmann, F.E. Kühn, M.R. Mattner, G.R.J. Artus, M.R. Geisberger and J.D.G. Correia), 203

Osmium

Trisimidazole complexes of ruthenium and osmium (S. Elgafi, L.D. Field, B.A. Messerle, I.E. Buys and T.W. Hambley), 119

Oxo

Synthesis and structural characterisation of a new μ_2-Te bridged complex of molybdenum with oxo and imido ligands (P. Mathur, S. Ghose, Md.M. Hossain and H. Vahrenkamp), 185

Palladium

A-frame trinuclear complexes of platinum and palladium with a tridentate phosphine ligand. Insertion of d^{10} Pt(0) and Pd(0) fragments into a Pt–Pt σ-bond (T. Tanase, H. Takahata, H. Ukaji, M. Hasegawa and Y. Yamamoto), 247

Directed semi-hydrogenation of triple bonds in diene tricarbonyliron complexes (M. Laabassi, P. Mosset and R. Grée), 91

Molecular structure of π-allyl palladium(II) complex, $[Pd(\eta^3\text{-}PhCHCHCHPh)\text{-}((S,S)\text{-chiraphos})]PF_6$: a novel envelope conformation of chiral C_2-symmetric diphosphine (M. Yamaguchi, M. Yabuki, T. Yamagishi, M. Kondo and S. Kitagawa), 199

Preparation and reactions of methylpalladium(II) and -platinum(II) azido complexes. The crystal structure of *trans*-$PdMe(N_3)(PMe_3)_2$ and *trans*-$PdMe[CN_4(C_6H_{11})](PMe_3)_2$ (Y.-J. Kim, D.-H. Kim, J.-Y. Lee and S.-W. Lee), 189

Phosphonic acid

Synthesis and characterization of an organometallic phosphonic acid: X-ray crystal structure of $[\eta^6\text{-}p\text{-}C_6H_4(CH_2PO_3H_2)_2]Cr(CO)_3$ (R.W. Deemie, J.C. Fettinger and D.A. Knight), 257

Platinum

A-frame trinuclear complexes of platinum and palladium with a tridentate phosphine ligand. Insertion of d^{10} Pt(0) and Pd(0) fragments into a Pt–Pt σ-bond (T. Tanase, H. Takahata, H. Ukaji, M. Hasegawa and Y. Yamamoto), 247

Preparation and reactions of methylpalladium(II) and -platinum(II) azido complexes. The crystal structure of *trans*-$PdMe(N_3)(PMe_3)_2$ and *trans*-$PdMe[CN_4(C_6H_{11})](PMe_3)_2$ (Y.-J. Kim, D.-H. Kim, J.-Y. Lee and S.-W. Lee), 189

Polyimidazole
Trisimidazole complexes of ruthenium and osmium (S. Elgafi, L.D. Field, B.A. Messerle, I.E. Buys and T.W. Hambley), 119

Poly(pyrazolyl)borates
Hydrocarbyl derivatives of $[UCl_2\{HB(pz)_3\}_2]$: synthesis, characterization and reactivity studies towards protic substrates and ketones (M.P.C. Campello, M.J. Calhorda, Â. Domingos, A. Galvão, J.P. Leal, A. Pires de Matos and I. Santos), 223

Propargylsilanes
Les bis-silanes bis-propargyliques comme précurseurs de bis(vinylidène)oxanes et oxépanes (P. Aubert et J. Pornet), 211

Reactivity
Hydrocarbyl derivatives of $[UCl_2\{HB(pz)_3\}_2]$: synthesis, characterization and reactivity studies towards protic substrates and ketones (M.P.C. Campello, M.J. Calhorda, Â. Domingos, A. Galvão, J.P. Leal, A. Pires de Matos and I. Santos), 223

Rhenium
Preparation and characterization of the rhenium silyl esters (η^5-C_5Me_5)(CO)(NO)ReC(O)$OSiR_3$ (SiR_3 = $SiMe_2Ph$, $SiEt_3$) (M.D.B. Cavanaugh, S.M. Tetrick, C.J. Masi and A.R. Cutler), 41
Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 2. Dynamic NMR studies of *fac*-$[ReX(CO)_3(BIP)]$ (X = Cl, Br, or I). Crystal structure of *fac*-$[ReBr(CO)_3(BIP)]$ (K.G. Orrell, A.G. Osborne, V. Šik, M. Webba da Silva, M.B. Hursthouse, D.E. Hibbs, K.M. Abdul Malik and N.G. Vassilev), 171
Synthesis of the rhenium allyl chloride complex $Cp^*Re(\eta^3$-$C_3H_5)(CO)Cl$ and reactions to give hydrido, phenyl and alkyl derivatives (Y.-X. He and D. Sutton), 49

Rhodium
A rhodium(I) amide dimer: synthesis, structural characterisation and preliminary reactivity studies (J.-J. Brunet, J.-C. Daran, D. Neibecker and L. Rosenberg), 251

Ruthenium
Synthesis and spectroscopic characterisation of *closo*-$Ru_4(CO)_{12}$-(μ_4,η^2-HC_2Ph) and *closo*-$Ru_4(CO)_9(\mu$-$CO)_2(\mu_4,\eta^2$-$HC_2Ph)(\mu_4$-Se). Crystal structure of *closo*-$Ru_4(CO)_{12}(\mu_4,\eta^2$-$HC_2Ph)$ (P. Mathur, S. Ghosh, Md.M. Hossain, C.V.V. Satyanarayana, A.L. Rheingold and G.P.A. Yap), 57
Trisimidazole complexes of ruthenium and osmium (S. Elgafi, L.D. Field, B.A. Messerle, I.E. Buys and T.W. Hambley), 119

Ruthenium hydride
Reactions of $RuHCl(CO)(PPh_3)_3$ with 1-alkynols. Preparation and reactivity of hydroxyvinyl complexes (G. Jia, W.F. Wu, R.C.Y. Yeung and H. Xia), 31

Selenium
Synthesis and spectroscopic characterisation of *closo*-$Ru_4(CO)_{12}$-(μ_4,η^2-HC_2Ph) and *closo*-$Ru_4(CO)_9(\mu$-$CO)_2(\mu_4,\eta^2$-$HC_2Ph)(\mu_4$-Se). Crystal structure of *closo*-$Ru_4(CO)_{12}(\mu_4,\eta^2$-$HC_2Ph)$ (P. Mathur, S. Ghosh, Md.M. Hossain, C.V.V. Satyanarayana, A.L. Rheingold and G.P.A. Yap), 57

Semi-hydrogenation
Directed semi-hydrogenation of triple bonds in diene tricarbonyliron complexes (M. Laabassi, P. Mosset and R. Grée), 91

Silane
Preparation and characterization of the rhenium silyl esters (η^5-C_5Me_5)(CO)(NO)ReC(O)$OSiR_3$ (SiR_3 = $SiMe_2Ph$, $SiEt_3$) (M.D.B. Cavanaugh, S.M. Tetrick, C.J. Masi and A.R. Cutler), 41

Silanes
Aryltrisilane $Si_3Ar_nH_{8-n}$ (Ar = Ph, p-Tol; n = 2–7) (K. Hassler and W. Köll), 145
Synthese und Eigenschaften chlorierter und bromierter Aryltrisilane und Aryltetrasilane (K. Hassler und W. Köll), 135

Silicon
Aryltrisilane $Si_3Ar_nH_{8-n}$ (Ar = Ph, p-Tol; n = 2–7) (K. Hassler and W. Köll), 145
Synthese und Eigenschaften chlorierter und bromierter Aryltrisilane und Aryltetrasilane (K. Hassler und W. Köll), 135

Silver(I)
Synthese und Koordinationsverhalten $Me_2NCH_2CH_2$-funktionalisierter Metallocene von Titan, Vanadium und Chrom (M. Enders, K. Köhler, W. Frosch, H. Pritzkow und H. Lang), 163

Silyls
Preparation and characterization of the rhenium silyl esters (η^5-C_5Me_5)(CO)(NO)ReC(O)$OSiR_3$ (SiR_3 = $SiMe_2Ph$, $SiEt_3$) (M.D.B. Cavanaugh, S.M. Tetrick, C.J. Masi and A.R. Cutler), 41

^{29}Si NMR
Aryltrisilane $Si_3Ar_nH_{8-n}$ (Ar = Ph, p-Tol; n = 2–7) (K. Hassler and W. Köll), 145

Sn
Synthesis and some properties of bis- and tetrakis(triphenylstannyl)tetrathiafulvalenes and tetraiodotetrathiafulvalene (M. Sato and M.-a. Sensui), 1

Sulfoxidation
Multiple bonds between transition metals and main-group elements, 163. Nitrogen-donor adducts of organorhenium(VII) oxides: structural and catalytic aspects (W.A. Herrmann, F.E. Kühn, M.R. Mattner, G.R.J. Artus, M.R. Geisberger and J.D.G. Correia), 203

Sulphur
Propylthiotetramethylcyclopentadienyl complexes of iron, titanium and zirconium. Structural characterization of $[\eta^5$-C_5Me_4-$SCH_2CH_2CH_3]_2TiCl_2$ (R. Broussier, C. Bourdon, O. Blacque, A. Vallat, M.M. Kubicki and B. Gautheron), 83

Synthesis
Hydrocarbyl derivatives of $[UCl_2\{HB(pz)_3\}_2]$: synthesis, characterization and reactivity studies towards protic substrates and ketones (M.P.C. Campello, M.J. Calhorda, Â. Domingos, A. Galvão, J.P. Leal, A. Pires de Matos and I. Santos), 223
Synthesis of the rhenium allyl chloride complex $Cp^*Re(\eta^3$-$C_3H_5)(CO)Cl$ and reactions to give hydrido, phenyl and alkyl derivatives (Y.-X. He and D. Sutton), 49

Tellurium
Synthesis and structural characterisation of a new μ_2-Te bridged complex of molybdenum with oxo and imido ligands (P. Mathur, S. Ghose, Md.M. Hossain and H. Vahrenkamp), 185

Titanium
Propylthiotetramethylcyclopentadienyl complexes of iron, titanium and zirconium. Structural characterization of $[\eta^5$-C_5Me_4-$SCH_2CH_2CH_3]_2TiCl_2$ (R. Broussier, C. Bourdon, O. Blacque, A. Vallat, M.M. Kubicki and B. Gautheron), 83
Synthesis, crystal structures and some properties of dimethylsilylene-bridged ansa-permethyltitanocene [Ti(IV), (III) and (II)] complexes (V. Varga, J. Hiller, R. Gyepes, M. Polášek, P. Sedmera, U. Thewalt and K. Mach), 63

Titanium(IV)
Synthese und Koordinationsverhalten $Me_2NCH_2CH_2$-funktionalisierter Metallocene von Titan, Vanadium und Chrom (M. Enders, K. Köhler, W. Frosch, H. Pritzkow und H. Lang), 163

Tricarbonyliron
Structure and stereodynamic relationships in (η^4-diene)ML_3 systems (P. McArdle, J. Skelton and A.R. Manning), 9

Trinuclear complexes
A-frame trinuclear complexes of platinum and palladium with a tridentate phosphine ligand. Insertion of d^{10} Pt(0) and Pd(0) fragments into a Pt–Pt σ-bond (T. Tanase, H. Takahata, H. Ukaji, M. Hasegawa and Y. Yamamoto), 247

Triphenylphosphine
A rhodium(I) amide dimer: synthesis, structural characterisation and preliminary reactivity studies (J.-J. Brunet, J.-C. Daran, D. Neibecker and L. Rosenberg), 251
Triphosphine
A-frame trinuclear complexes of platinum and palladium with a tridentate phosphine ligand. Insertion of d^{10} Pt(0) and Pd(0) fragments into a Pt–Pt σ-bond (T. Tanase, H. Takahata, H. Ukaji, M. Hasegawa and Y. Yamamoto), 247
Trisimidazole
Trisimidazole complexes of ruthenium and osmium (S. Elgafi, L.D. Field, B.A. Messerle, I.E. Buys and T.W. Hambley), 119
Tröger's base
Multiple bonds between transition metals and main-group elements, 163. Nitrogen-donor adducts of organorhenium(VII) oxides: structural and catalytic aspects (W.A. Herrmann, F.E. Kühn, M.R. Mattner, G.R.J. Artus, M.R. Geisberger and J.D.G. Correia), 203
Uranium
Hydrocarbyl derivatives of $[UCl_2\{HB(pz)_3\}_2]$: synthesis, characterization and reactivity studies towards protic substrates and ketones (M.P.C. Campello, M.J. Calhorda, Â. Domingos, A. Galvão, J.P. Leal, A. Pires de Matos and I. Santos), 223
Vanadium(II)
Synthese und Koordinationsverhalten $Me_2NCH_2CH_2$-funktionalisierter Metallocene von Titan, Vanadium und Chrom (M. Enders, K. Köhler, W. Frosch, H. Pritzkow und H. Lang), 163
Xanthate
Synthesis and characterisation of organoarsenic(III) xanthates and dithiocarbamates. X-ray crystal structures of $RAs(S_2CNEt_2)_2$, R = Me and Ph (S.S. Garje, V.K. Jain and E.R.T. Tiekink), 129
X-ray diffraction
Synthesis and some properties of bis- and tetrakis(triphenylstannyl)tetrathiafulvalenes and tetraiodotetrathiafulvalene (M. Sato and M.-a. Sensui), 1
Synthesis and spectroscopic characterisation of *closo*-$Ru_4(CO)_{12}(\mu_4,\eta^2\text{-}HC_2Ph)$ and *closo*-$Ru_4(CO)_9(\mu\text{-}CO)_2(\mu_4,\eta^2\text{-}HC_2Ph)(\mu_4\text{-}Se)$. Crystal structure of *closo*-$Ru_4(CO)_{12}(\mu_4,\eta^2\text{-}HC_2Ph)$ (P. Mathur, S. Ghosh, Md.M. Hossain, C.V.V. Satyanarayana, A.L. Rheingold and G.P.A. Yap), 57
Ytterbium
Synthesis and molecular structure of $[(t\text{-}C_4H_9C_5H_4)_2Yb(THF)_2][BPh_4]\cdot THF$ and its catalytic activity for the polymerization of styrene (F. Yuan, Q. Shen and J. Sun), 241
Zirconium
Propylthiotetramethylcyclopentadienyl complexes of iron, titanium and zirconium. Structural characterization of $[\eta^5\text{-}C_5Me_4SCH_2CH_2CH_3]_2TiCl_2$ (R. Broussier, C. Bourdon, O. Blacque, A. Vallat, M.M. Kubicki and B. Gautheron), 83